

JIF

LLC

JIF MARINE LLC
A Step Up



MARINE DOCK LADDERS 2014

2.18.14



MARINE DOCK LADDERS

Are the Best!

- **Models: DJV, DJX, DJW, EWI, EFL**
- **22% Stronger, Aluminum Ladders are Constructed from 6005T-5 Anodized Aluminum, Not 6063T-5**
- **Stronger, No-Gap Welding on Steps & Other Parts**
- **All Plastic Caps are Glued and Pop-Riveted**
- **750 lb. Weight Capacity Per Step**
- **All Ladders are Boxed, Ready to Ship**

WELD COMPARISON

LEADING COMPETITOR

MILL FINISH
INCOMPLETE WELD



SMOOTH ANODIZED ALUMINUM FINISH
NO-GAP WELD



STEP COMPARISON - TOP

LEADING COMPETITOR

MILL FINISH
INCOMPLETE WELD



SMOOTH ANODIZED ALUMINUM FINISH
NO-GAP WELD



STEP COMPARISON - BOTTOM

LEADING COMPETITOR

MILL FINISH
INCOMPLETE WELD



SMOOTH ANODIZED ALUMINUM FINISH
NO-GAP WELD



LADDER WARRANTY

JIF Marine is proud to offer high quality products and top customer service. We stand behind all of our ladders and will work with you to make right any defect in materials or workmanship. This includes either a repair or replacement of the product as appropriate with a 2 year no hassle replacement. It should be noted that some components, particularly those made of rubber or plastic, will wear over time and such normal wear and tear is not part of our warranty. Similarly, we do not cover damage done to a ladder through any misuse, improper installation or neglect. Please feel free to contact us with any warranty or product questions you may have.

CUSTOMERS

Look at our customers websites:

Amazon - Boat Lift Distributors - Coastline - Crone Marine - DH Docks - Dock Boxes Unlimited - Dock Builders Supply Dock Floats Ltd. - Dock Gear - Dock Ladders Depot - Instant Marine - Marine Accessories - Merco Marine - MI Docks Overtons - Reed Shoreline - Robco - Savvy Boater - Whiskey Creek Marine - Wholesale Marine

We will Drop Ship anywhere in the USA - We can use your FedEx or UPS number

Try Us and Increase Your Profit!



MARINE DOCK LADDERS

Hot Items for 2014

EFL DOCK LIFT LADDER

Width: 21" Handle Depth: 8"
Step Height: 12" Step Width: 19"

- Fixed portion extends 15" down from top of dock
- Perfect for floating docks
- Double rung locking mechanism is extra sturdy
- 6005T-5 anodized aluminum
- 750 lb. capacity



EFL3

EFLSNW DOCK LADDER

WIDE 4" STEP

Width: 21" Handle Depth: 8" Step Height: 12"

- Anodized aluminum
- Perfect for floating docks
- 750 lb. capacity



EFLSNW3

EFLSN DOCK LADDER

STANDARD 2" STEP

Width: 21" Handle Depth: 8" Step Height: 12"

- Anodized aluminum
- Perfect for floating docks
- 750 lb. capacity



EFLSN3

ASE 3 STEP DOCK LADDER

W/MOUNTING HARDWARE

Overall Height: 49.75" Width: 18" Step Height: 12"
Step Depth: 5.25" Handle Depth: 15"



ASE

ASH 4 STEP DOCK LADDER

W/MOUNTING HARDWARE

Overall Height: 61.75" Width: 18" Step Height: 12"
Step Depth: 5.25" Handle Depth: 15"



ASH

ASH2 5 STEP DOCK LADDER

W/MOUNTING HARDWARE

Overall Height: 73.75" Width: 18" Step Height: 12"
Step Depth: 5.25" Handle Depth: 15"

ASH7 7 STEP DOCK LADDER

W/MOUNTING HARDWARE

Overall Height: 93.75" Width: 18" Step Height: 12"
Step Depth: 5.25" Handle Depth: 15"

- Durable, lightweight anodized aluminum
- Large, angled steps for climbing comfort
- Anti-skid tread for safety
- Easily attaches to dock with J-hook hardware (included)
- Stainless steel assembly hardware
- 300 lb. capacity

ASH-7



ERR4

ERR4 4 STEP FOLDING LADDER

W/MOUNTING HARDWARE

Overall Height: 61.75" Width: 18" Step Height: 12"
Step Depth: 5.25" Handle Depth: 15"

- Folds up for easy storage
- Durable, lightweight anodized aluminum
- Large, angled steps for climbing comfort
- Anti-skid tread for safety
- Easily attaches to dock with J-hook hardware (included)
- Stainless steel assembly hardware
- 300 lb. capacity



F.O.B. MEMPHIS • \$10 DROP SHIP CHARGE

Visit our website at www.jifmarine.com

MODEL	STEPS	WEIGHT	1 - 25	26 - 50	MODEL	STEPS	WEIGHT	1 - 25	26 - 50	MODEL	STEPS	WEIGHT	1 - 25	26 - 50
EFL STANDARD 2" STEP					EFLSNW WIDE 4" STEP					ASE 3 STEP DOCK LADDER				
EFL3	3	19 lbs.			EFLSNW3	3	16 lbs.			ASE	3	16 lbs.		
EFL4	4	21 lbs.			EFLSNW4	4	18 lbs.			ASH 4 STEP DOCK LADDER				
EFL5	5	23 lbs.			EFLSNW5	5	19 lbs.			ASH	4	18 lbs.		
EFL6	6	25 lbs.			EFLSNW6	6	20 lbs.			ASH2 5 STEP DOCK LADDER				
EFL7	7	27 lbs.			EFLSNW7	7	21 lbs.			ASH2	5	19 lbs.		
ELF WIDE 4" STEP					EFLSN STANDARD 2" STEP					ASH7 7 STEP DOCK LADDER				
EFL3W	3	20 lbs.			EFLSN3	3	17 lbs.			ASH7	7	20 lbs.		
EFL4W	4	22 lbs.			EFLSN4	4	19 lbs.			ERR4 4 STEP FOLDING LADDER				
EFL5W	5	24 lbs.			EFLSN5	5	20 lbs.			ERR4	4	18 lbs.		
EFL6W	6	26 lbs.			EFLSN6	6	21 lbs.							
EFL7W	7	28 lbs.			EFLSN7	7	22 lbs.							



MARINE DOCK LADDERS

Hot Items for 2014

- **22% Stronger, Aluminum Ladders are Constructed from 6005T-5 Anodized Aluminum, Not 6063T-5**
- **Stronger, No-Gap Welding on Steps & Other Parts**
- **750 lb. Weight Capacity Per Step**



Available With 2" & 4" Wide Steps

DJV DOCK STANDARD LADDER

Width: 20" Handle Depth: 14" Step Height: 12"

- Great for seawalls and stationary docks
- 6005T-5 anodized aluminum

DJW DOCK SWING LADDER

Width: 20" Handle Depth: 20" Step Height: 12"

- Ladder folds up above waterline
- Quick-release safety pin locks ladder in down position
- 6005T-5 anodized aluminum



DJX DOCK LIFT LADDER

Width: 20" Handle Depth: 14" Step Height: 12"

- Retractable ladder slides up above waterline
- 6005T-5 anodized aluminum
- Double ring locking mechanism for stability



DJX3-W

DMY STATIONARY DOCK LADDER

STAINLESS STEEL 316

Width: 16" Handle Depth: 13" Step Height: 11"

- 1-1/2" diameter stainless steel 316 tubing
- Wraparound PVC treads for sure footing
- Step section is easily removed for winter storage
- 400 lb. capacity



DMY4

**ALL LADDERS ARE BOXED
— READY TO SHIP —**

EDC QUICK-RELEASE MOUNTING PLATES

- Anodized aluminum mounting plate
- Stainless steel locking pins
- Pair



All ladders easily attach with Quick Release Mounting Plates

1-25 26-50

EEW BACKING PLATES FOR DOCK LADDER

Length: 23" Width: 2" Depth: .25"
Weight: 1.2 lbs.

- Aluminum



1-25 26-50



F.O.B. MEMPHIS • \$10 DROP SHIP CHARGE

Visit our website at www.jifmarine.com

MODEL	STEPS	WEIGHT	1 - 25	26 - 50	MODEL	STEPS	WEIGHT	1 - 25	26 - 50
DJV STANDARD 2" STEP					DJW STANDARD 2" STEP				
DJV3	3	20 lbs.			DJW3	3	20 lbs.		
DJV4	4	22 lbs.			DJW4	4	22 lbs.		
DJV5	5	24 lbs.			DJW5	5	24 lbs.		
DJV6	6	28 lbs.			DJW6	6	28 lbs.		
DJV7	7	33 lbs.			DJW7	7	33 lbs.		
DJV WIDE 4" STEP					DJW WIDE 4" STEP				
DJV3W	3	22 lbs.			DJW3W	3	22 lbs.		
DJV4W	4	24 lbs.			DJW4W	4	24 lbs.		
DJV5W	5	26 lbs.			DJW5W	5	26 lbs.		
DJV6W	6	31 lbs.			DJW6W	6	31 lbs.		
DJV7W	7	36 lbs.			DJW7W	7	36 lbs.		

MODEL	STEPS	WEIGHT	1 - 25	26 - 50
DJX STANDARD 2" STEP				
DJX3	3	20 lbs.		
DJX4	4	22 lbs.		
DJX5	5	24 lbs.		
DJX6	6	28 lbs.		
DJX7	7	33 lbs.		
DJX WIDE 4" STEP				
DJX3W	3	22 lbs.		
DJX4W	4	24 lbs.		
DJX5W	5	26 lbs.		
DJX6W	6	31 lbs.		
DJX7W	7	36 lbs.		
DMY				
DMY4	4	20 lbs.		
DMY5	5	22 lbs.		
DMY6	6	24 lbs.		



MARINE DOCK LADDERS

Hot Items for 2014

FBMS3 3-STEP STATIONARY LADDER

Overall Height: 53" Width: 18.5" Step Width: 14" Step Depth: 3.75"

FBMS4 4-STEP STATIONARY LADDER

Overall Height: 64" Width: 18.5" Step Width: 14" Step Depth: 3.75"

FBMS5 5-STEP STATIONARY LADDER

Overall Height: 75" Width: 18.5" Step Width: 14" Step Depth: 3.75"

- White galvalume construction
- Perfect for docks, seawalls or swim rafts
- Strong 1.5" tubing
- 400 lb. capacity



FBMS4



FBM6

FBM6 ADD A STEP

- Attaches to stationary and flip-up ladders



FBM4

FBM3 3-STEP FLIP-UP DOCK LADDER

Overall Height: 53" Width: 18.5" Step Width: 14" Step Depth: 3.75"

FBM4 4-STEP FLIP-UP DOCK LADDER

Overall Height: 64" Width: 18.5" Step Width: 14" Step Depth: 3.75"

FBM5 5-STEP FLIP-UP DOCK LADDER

Overall Height: 75" Width: 18.5" Step Width: 14" Step Depth: 3.75"

- White galvalume construction
- Perfect for docks, seawalls or swim rafts
- Strong 1.5" tubing
- 400 lb. capacity



EEV

EEV FLIP-UP QUICK RELEASE

Width: 21" Depth: 12" Weight: 4.5" lbs.

- Designed for quick installation & removal of dock ladders
- 14 gauge galvanized steel
- Mounting hardware included

FDQ3-PC 3-STEP DOCK LADDER

Overall Height: 48.5" Width: 18.5" Step Width: 16" Step Depth: 4.75"

FDQ4-PC 4-STEP DOCK LADDER

Overall Height: 59" Width: 18.5" Step Width: 16" Step Depth: 4.75"

FDQ5-PC 5-STEP DOCK LADDER

Overall Height: 70" Width: 18.5" Step Width: 16" Step Depth: 4.75"

- 1" square steel tubing is blue vinyl coated
- 14 gauge galvanized steel steps have blue powder-coat baked-on finish
- 400 lb. capacity



FDQ4-PC

FDQ3-GA 3-STEP DOCK LADDER

Overall Height: 48.5" Width: 18.5" Step Width: 16" Step Depth: 4.75"

FDQ4-GA 4-STEP DOCK LADDER

Overall Height: 59" Width: 18.5" Step Width: 16" Step Depth: 4.75"

FDQ5-GA 5-STEP DOCK LADDER

Overall Height: 70" Width: 18.5" Step Width: 16" Step Depth: 4.75"

- Galvanized to protect against rust & corrosion
- 1" square galvanized steel tubing
- 14 gauge galvanized steel steps
- 400 lb. capacity



FDQ4-GA

Visit our website at www.jifmarine.com

MODEL	STEPS	WEIGHT	1 - 25	26 - 50	MODEL	STEPS	WEIGHT	1 - 25	26 - 50	MODEL	STEPS	WEIGHT	1 - 25	26 - 50
FBMS STATIONARY LADDER					FBM6 ADD A STEP					FDQ-PC DOCK LADDER, POWDER-COAT				
FBMS3	3	21 lbs.			FBM6	1	5 lbs.			FDQ3-PC	3	28 lbs.		
FBMS4	4	24 lbs.			EEV FLIP-UP QUICK RELEASE					FDQ4-PC	4	32 lbs.		
FBMS5	5	27 lbs.			EEV		4.5 lbs.			FDQ5-PC	5	36 lbs.		
FBM FLIP-UP DOCK LADDER					<p>F.O.B. MEMPHIS • \$10 DROP SHIP CHARGE</p>					FDQ-GA DOCK LADDER, GALVANIZED				
FBM3	3	22 lbs.								FDQ3-GA	3	28 lbs.		
FBM4	4	26 lbs.								FDQ4-GA	4	32 lbs.		
FBM5	5	28 lbs.								FDQ5-GA	5	36 lbs.		



MARINE DOCK ACCESSORIES

Hot Items for 2014

FBF1 10" x 23.5" SIDE BUMPER

Width: 23.5" Height: 10.25"
Depth (Body): 1.25" Depth (Top Flap): 2.5"



FBF1

FBF2 10" x 10" CORNER BUMPER

Width: 9" Height: 10.5"
Depth (Body): 1.5" Depth (Top Flap): 2.75"



FBF2

- Tough, Blow-Molded Marine Grade Vinyl with Solid Flap
- Protects Corner and Side of Dock
- UV Resistant
- Molded In Color Will Not Mar Boat Hull
- Easily Mounts on Dock with Stainless Steel Hardware
- Available in Black or White



Available in Black Only

CONEHEAD PILING CAPS, SQUARE

FJP 3.5" x 3.5" CONEHEAD PILING CAP SQUARE

FJQ 5.5" x 5.5" CONEHEAD PILING CAP SQUARE

FJR 6" x 6" CONEHEAD PILING CAP SQUARE



CONEHEAD PILING CAPS, ROUND

EFZ1 7" CONEHEAD PILING CAP ROUND

EFZ2 8" CONEHEAD PILING CAP ROUND

EFZ3 9" CONEHEAD PILING CAP ROUND

EFZ4 10" CONEHEAD PILING CAP ROUND

EFZ5 11" CONEHEAD PILING CAP ROUND

EFZ6 12" CONEHEAD PILING CAP ROUND



- Discourage birds from landing
- UV-resistant polypropylene
- Available in Black or White

When Ordering: B - Black W - White



F.O.B. MEMPHIS • \$10 DROP SHIP CHARGE

Visit our website at www.jifmarine.com

MODEL	WEIGHT	1 - 25	26 - 50	MODEL	SIZE	WEIGHT	1 - 25	26 - 50
FBF1 10" X 23.5" SIDE BUMPER				CONEHEAD PILING CAP, SQUARE				
FBF1	2.5 lbs.			FJP-B	FJP-W	3.5"	.5 lbs.	
FBF2 10" X 10" CORNER BUMPER				FJQ-B	FJQ-W	5.5"	.75 lbs.	
FBF2	4 lbs.			FJR-B	FJR-W	6"	1 lbs.	

MODEL	SIZE	WEIGHT	1 - 25	26 - 50
CONEHEAD PILING CAP, ROUND				
EFZ1-B	EFZ1-W	7"	.8 lbs.	
EFZ2-B	EFZ2-W	8"	1 lbs.	
EFZ3-B	EFZ3-W	9"	1.25 lbs.	
EFZ4-B	EFZ4-W	10"	1.5 lbs.	
EFZ5-B	EFZ5-W	11"	1.75 lbs.	
EFZ6-B	EFZ6-W	12"	2 lbs.	